

Sr.No.	Student	Address	Test Details	Typed-Word	Correct-word	Error	Gross WPM	Net Wpm	Accuracy	Result
1	Rahul Raj	Biharsharif	Spl-Bihar-Vidhan-Eng-Test-Dated-2026-04-28-Test NO.-26186	204	182	25	20	18	88	Bihar Vidhan Parishad RKC TYPE More Try
2	Rahul Raj	Biharsharif	Spl-Bihar-Vidhan-Eng-Test-Dated-2026-04-28-Test NO.-26183	195	176	16	20	18	92	Bihar Vidhan Parishad RKC TYPE More Try
3	Ajay Kumar	Bhagalpur	Bihar-Vidhan-Eng-Test-Dated-2026-04-28-Test NO.-26182	349	336	13	37	36	96	Bihar Vidhan Parishad RKC TYPE More Try
4	AVINASH KUMAR	BIHAR	Bihar-SSC-Eng-Test-Dated-2026-04-28-Test NO.-26182	349	350	0	39	39	100	Bihar-Vidhan-Parishad RKC TYPE PASS
5	sudhir kumar	bihar	Bihar-Vidhan-Eng-Test-Dated-2026-04-28-Test NO.-26182	349	343	7	36	35	98	Bihar Vidhan Parishad RKC TYPE More Try

Sr.No.	Student	Address	Test Details	Typed-Word	Correct-word	Error	Gross WPM	Net Wpm	Accuracy	Result
6	Sunny Kumar	Patna	Bihar-Vidhan-Eng-Test-Dated-2026-04-28-Test NO.-26182	326	324	3	33	32	99	Bihar-Vidhan-Parishad RKC TYPE PASS
7	Raj Singh	Patna	Bihar-Vidhan-Eng-Test-Dated-2026-04-28-Test NO.-26182	299	292	8	30	29	97	Bihar Vidhan Parishad RKC TYPE More Try
8	AVINASH KUMAR	BIHAR	Bihar-SSC-Eng-Test-Dated-2026-04-28-Test NO.-26181	349	350	0	41	41	100	Bihar-Vidhan-Parishad RKC TYPE PASS
9	Ajay Kumar	Bhagalpur	Bihar-Vidhan-Eng-Test-Dated-2026-04-28-Test NO.-26181	349	325	25	38	35	93	Bihar Vidhan Parishad RKC TYPE More Try
10	AVINASH KUMAR	BIHAR	Bihar-SSC-Eng-Test-Dated-2026-04-28-Test NO.-26180	349	350	0	41	41	100	Bihar-Vidhan-Parishad RKC TYPE PASS
11	Rahul Raj	Biharsharif	Bihar-Vidhan-Eng-Test-Dated-2026-04-28-Test NO.-26180	201	170	43	20	16	80	Bihar Vidhan Parishad RKC TYPE More Try

Sr.No.	Student	Address	Test Details	Typed-Word	Correct-word	Error	Gross WPM	Net Wpm	Accuracy	Result
12	sudhir kumar	bihar	Bihar-Vidhan-Eng-Test-Dated-2026-04-28-Test NO.-26179	349	345	5	38	38	99	Bihar-Vidhan-Parishad RKC TYPE PASS
13	Rahul Raj	Biharsharif	Bihar-Vidhan-Eng-Test-Dated-2026-04-28-Test NO.-26179	53	49	9	25	20	84	Bihar Vidhan Parishad RKC TYPE More Try
14	Raj Singh	Patna	Bihar-Vidhan-Eng-Test-Dated-2026-04-28-Test NO.-26176	349	347	3	40	40	99	Bihar-Vidhan-Parishad RKC TYPE PASS
15	Rahul Raj	Biharsharif	Bihar-Vidhan-Eng-Test-Dated-2026-04-28-Test NO.-26176	222	210	29	22	19	88	Bihar Vidhan Parishad RKC TYPE More Try
16	depak kumar	deoghar	Bihar-Vidhan-Eng-Test-Dated-2026-04-28-Test NO.-26175	337	329	8	34	33	98	Bihar Vidhan Parishad RKC TYPE More Try

Sr.No.	Student	Address	Test Details	Typed-Word	Correct-word	Error	Gross WPM	Net Wpm	Accuracy	Result
17	Girish Kumar Sharma	PS Simri, District Buxar	Bihar-Vidhan-Eng-Test-Dated-2026-04-28-Test NO.-26175	303	298	6	30	30	98	Bihar Vidhan Parishad RKC TYPE More Try
18	ABHIMAN YU RAJ	NAWADA	Bihar-Vidhan-Eng-Test-Dated-2026-04-28-Test NO.-26175	235	214	19	24	22	92	Bihar Vidhan Parishad RKC TYPE More Try
19	mukesh kumar	nawada station raod villege khemchand bigha	Bihar-Vidhan-Eng-Test-Dated-2026-04-28-Test NO.-26175	195	182	14	20	18	93	Bihar Vidhan Parishad RKC TYPE More Try
20	Rahul Raj	Biharsharif	Bihar-Vidhan-Eng-Test-Dated-2026-04-28-Test NO.-26175	167	152	33	17	13	82	Bihar Vidhan Parishad RKC TYPE More Try
21	Girish Kumar Sharma	PS Simri, District Buxar	Bihar-Vidhan-Eng-Test-Dated-2026-04-28-Test NO.-26174	327	326	3	33	33	99	Bihar-Vidhan-Parishad RKC TYPE PASS

Sr.No.	Student	Address	Test Details	Typed-Word	Correct-word	Error	Gross WPM	Net Wpm	Accuracy	Result
22	ABHIMAN YU RAJ	NAWADA	Bihar-Vidhan-Eng-Test-Dated-2026-04-28-Test NO.-26174	306	270	35	31	27	89	Bihar Vidhan Parishad RKC TYPE More Try
23	Rahul Raj	Biharsharif	Bihar-Vidhan-Eng-Test-Dated-2026-04-28-Test NO.-26174	232	184	58	23	17	76	Bihar Vidhan Parishad RKC TYPE More Try
24	Raj Singh	Patna	Bihar-Vidhan-Eng-Test-Dated-2026-04-28-Test NO.-26173	335	320	15	34	32	96	Bihar Vidhan Parishad RKC TYPE More Try
25	Girish Kumar Sharma	PS Simri, District Buxar	Bihar-Vidhan-Eng-Test-Dated-2026-04-28-Test NO.-26173	282	279	4	28	28	99	Bihar Vidhan Parishad RKC TYPE More Try
26	sundram kumar	new area nawada modern school durga temple	Bihar-SSC-Eng-Test-Dated-2026-04-28-Test NO.-26173	205	195	11	21	19	95	Bihar Vidhan Parishad RKC TYPE More Try

Sr.No.	Student	Address	Test Details	Typed-Word	Correct-word	Error	Gross WPM	Net Wpm	Accuracy	Result
27	Rahul Raj	Biharsharif	Bihar-Vidhan-Eng-Test-Dated-2026-04-28-Test NO.-26173	180	149	51	18	13	75	Bihar Vidhan Parishad RKC TYPE More Try
28	Raj Singh	Patna	Bihar-Vidhan-Eng-Test-Dated-2026-04-28-Test NO.-26172	348	342	8	36	35	98	Bihar Vidhan Parishad RKC TYPE More Try
29	Girish Kumar Sharma	PS Simri, District Buxar	Bihar-Vidhan-Eng-Test-Dated-2026-04-28-Test NO.-26172	330	329	2	33	33	99	Bihar-Vidhan Parishad RKC TYPE PASS
30	Rahul Raj	Biharsharif	Bihar-Vidhan-Eng-Test-Dated-2026-04-28-Test NO.-26172	241	205	46	24	20	82	Bihar Vidhan Parishad RKC TYPE More Try
31	PANKAJ KUMAR	Nawada	Bihar-Vidhan-Eng-Test-Dated-2026-04-28-Test NO.-26171	349	340	10	39	37	97	Bihar Vidhan Parishad RKC TYPE More Try

Sr.No.	Student	Address	Test Details	Typed-Word	Correct-word	Error	Gross WPM	Net Wpm	Accuracy	Result
32	Raj Singh	Patna	Bihar-SSC-Eng-Test-Dated-2026-04-28-Test NO.-26171	349	350	0	38	38	100	Bihar-Vidhan-Parishad RKC TYPE PASS
33	Rahul Raj	Biharsharif	Bihar-Vidhan-Eng-Test-Dated-2026-04-28-Test NO.-26171	196	177	43	20	15	80	Bihar Vidhan Parishad RKC TYPE More Try
34	KANHAI KUMAR	NAWADA	Spl-Bihar-SSC-Eng-Test-Dated-2026-04-27-Test NO.-26170	331	329	3	33	33	99	Bihar-Vidhan-Parishad RKC TYPE PASS
35	Rahul Raj	Biharsharif	Spl-Bihar-Vidhan-Eng-Test-Dated-2026-04-27-Test NO.-26170	202	179	36	20	17	83	Bihar Vidhan Parishad RKC TYPE More Try
36	KANHAI KUMAR	NAWADA	Spl-Bihar-SSC-Eng-Test-Dated-2026-04-27-Test NO.-26167	318	306	12	32	31	96	Bihar Vidhan Parishad RKC TYPE More Try

Sr.No.	Student	Address	Test Details	Typed-Word	Correct-word	Error	Gross WPM	Net Wpm	Accuracy	Result
37	Shivani kumari	Nawada	Spl-Bihar-Vidhan-Eng-Test-Dated-2026-04-27-Test NO.-26167	279	258	21	28	26	92	Bihar Vidhan Parishad RKC TYPE More Try
38	Rahul Raj	Biharsharif	Spl-Bihar-Vidhan-Eng-Test-Dated-2026-04-27-Test NO.-26167	207	182	34	21	17	84	Bihar Vidhan Parishad RKC TYPE More Try
39	KANHAI KUMAR	NAWADA	Bihar-SSC-Eng-Test-Dated-2026-04-27-Test NO.-26166	349	337	11	39	37	97	Bihar Vidhan Parishad RKC TYPE More Try
40	KANHAI KUMAR	NAWADA	Bihar-SSC-Eng-Test-Dated-2026-04-27-Test NO.-26158	349	341	9	42	41	97	Bihar Vidhan Parishad RKC TYPE More Try
41	sudhir kumar	bihar	Bihar-Vidhan-Eng-Test-Dated-2026-04-19-Test NO.-26029	349	330	20	35	33	94	Bihar Vidhan Parishad RKC TYPE More Try
42	KANHAI KUMAR	NAWADA	Bihar-SSC-Eng-Test-Dated-2026-04-06-Test NO.-25836	349	337	13	37	35	96	Bihar Vidhan Parishad RKC TYPE More Try

Sr.No.	Student	Address	Test Details	Typed-Word	Correct-word	Error	Gross WPM	Net Wpm	Accuracy	Result
43	sudhir kumar	bihar	Bihar-Vidhan-Eng-Test-Dated-2026-04-02-Test NO.-25768	349	341	9	36	35	97	Bihar Vidhan Parishad RKC TYPE More Try
44	Pawan kumar	Bihar	Bihar-Vidhan-Eng-Test-Dated-2026-03-31-Test NO.-25742	85	82	4	12	12	95	Bihar Vidhan Parishad RKC TYPE More Try
45	shivani Gupta	Bihar	Bihar-Vidhan-Eng-Test-Dated-2026-03-31-Test NO.-25736	300	284	17	30	28	94	Bihar Vidhan Parishad RKC TYPE More Try
46	KANHAI KUMAR	NAWADA	Bihar-SSC-Eng-Test-Dated-2026-03-31-Test NO.-25731	333	328	6	33	33	98	Bihar Vidhan Parishad RKC TYPE More Try
47	ABHISHEK KUMAR PANDIT	NAWADA	Bihar-Vidhan-Eng-Test-Dated-2026-02-28-Test NO.-25238	349	343	7	37	36	98	Bihar Vidhan Parishad RKC TYPE More Try

Sr.No.	Student	Address	Test Details	Typed-Word	Correct-word	Error	Gross WPM	Net Wpm	Accuracy	Result
48	ABHISHEK KUMAR PANDIT	NAWADA	Bihar-Vidhan-Eng-Test-Dated-2026-02-28-Test NO.-25232	349	338	12	35	34	97	Bihar Vidhan Parishad RKC TYPE More Try
49	KANHAI KUMAR	NAWADA	Bihar-SSC-Eng-Test-Dated-2026-02-27-Test NO.-25223	349	337	13	35	34	96	Bihar Vidhan Parishad RKC TYPE More Try
50	ABHISHEK KUMAR PANDIT	NAWADA	Bihar-Vidhan-Eng-Test-Dated-2026-01-31-Test NO.-24790	349	331	18	40	38	95	Bihar Vidhan Parishad RKC TYPE More Try
51	ABHISHEK KUMAR PANDIT	NAWADA	Bihar-Vidhan-Eng-Test-Dated-2026-01-31-Test NO.-24786	349	340	10	37	36	97	Bihar Vidhan Parishad RKC TYPE More Try
52	Raviranjana Kumar	Patna	Bihar-SSC-Eng-Test-Dated-2025-11-29-Test NO.-23777	314	315	0	31	31	100	Bihar-Vidhan-Parishad RKC TYPE PASS
53	Vibhul Arya	Patna	Spl-Bihar-Vidhan-Eng-Test-Dated-2025-10-30-Test NO.-23285	282	269	15	28	27	95	Bihar Vidhan Parishad RKC TYPE More Try

Sr.No.	Student	Address	Test Details	Typed-Word	Correct-word	Error	Gross WPM	Net Wpm	Accuracy	Result
54	Vibhul Arya	Patna	Bihar-Vidhan-Eng-Test-Dated-2025-08-30-Test NO.-22296	279	251	29	34	31	90	Bihar Vidhan Parishad RKC TYPE More Try
55	CHHOTEL AL RAM	bihar	Bihar-Vidhan-Eng-Test-Dated-2025-06-30-Test NO.-21321	299	290	10	31	30	97	Bihar Vidhan Parishad RKC TYPE More Try
56	CHHOTEL AL RAM	bihar	Spl-Bihar-Vidhan-Eng-Test-Dated-2025-05-30-Test NO.-20858	247	244	3	25	24	99	Bihar Vidhan Parishad RKC TYPE More Try
57	sudhir kumar	bihar	Bihar-Vidhan-Eng-Test-Dated-2025-04-08-Test NO.-20063	298	286	14	37	35	95	Bihar Vidhan Parishad RKC TYPE More Try
58	sudhir kumar	bihar	Bihar-Vidhan-Eng-Test-Dated-2025-04-01-Test NO.-19947	299	287	13	36	35	96	Bihar Vidhan Parishad RKC TYPE More Try